






## RUE55-F

滚子单轨引导系统

带满装循环滚珠导引系统的标准滑块, 用于直线循环滚珠轴承和导轨组件, 用于油润滑或脂润滑


### 技术信息



## 安装尺寸

A <sub>1</sub>	[43.5] mm	
J <sub>B</sub>	[116] mm	
b	[53] mm	width rail
Tol <sub>b</sub>	[-0.005] mm	Upper tolerance
Tol <sub>b</sub>	[-0.035] mm	Lower tolerance
A <sub>2</sub>	[12] mm	
L <sub>1</sub>	[127] mm	
J <sub>L</sub>	[95] mm	
J <sub>LZ</sub>	[70] mm	
j <sub>L</sub>	[60] mm	
a <sub>L min</sub>	[20] mm	
a <sub>L max</sub>	[47] mm	
a <sub>R min</sub>	[20] mm	Distance
a <sub>R max</sub>	[47] mm	
H <sub>1</sub>	[11] mm	
H <sub>4</sub>	[32] mm	
H <sub>5</sub>	[12] mm	
T <sub>5</sub>	[18] mm	
T <sub>6</sub>	[14.6] mm	
h	[45] mm	
h <sub>1</sub>	[22.5] mm	
Tol <sub>h<sub>1</sub></sub>	[0.5] mm	Upper tolerance
Tol <sub>h<sub>1</sub></sub>	[-0.5] mm	Lower tolerance
G <sub>2</sub>	[M14]	fixing screws
G <sub>2MA</sub>	[140] Nm	maximum tightening torque
K <sub>1</sub>	[M14]	fixing screws
K <sub>1MA</sub>	[220] Nm	maximum tightening torque
K <sub>3</sub>	[M12]	fixing screws
K <sub>3MA</sub>	[140] Nm	maximum tightening torque
K <sub>6</sub>	[M12]	fixing screws
K <sub>6MA</sub>	[83] Nm	maximum tightening torque
d <sub>1</sub>	[12.5] mm	
D <sub>2</sub>	[12.5] mm	
A <sub>3</sub>	[8.1] mm	position lubrication adapter
N <sub>3</sub>	[M6]	lubrication connector
A <sub>4</sub>	[8.1] mm	position lubrication connector
N <sub>4</sub>	[M6]	lubrication connector
J <sub>L6</sub>	[32.9] mm	position lubrication connector
N <sub>2 max</sub>	[6] mm	
J <sub>L5</sub>	[21.6] mm	

数据表仅为所选产品的尺寸和基本额定载荷概览。请始终遵守本产品的所有更多信息和指南。您可通过我们网站上的联系表了解更多信息。



### Main dimensions

$l_{\max}$	[5,880] mm	Max length single piece guideway
H	[70] mm	height system
B	[140] mm	width carriage
L	[172.7] mm	overall length carriage

### Technical data

C	[136,000] N	dynamic load rating
$C_0$	[320,000] N	static load rating
$M_{0x}$	[3,287] Nm	static moment rating about X axis
$M_{0y}$	[7,404] Nm	static moment rating about Y axis
$M_{0z}$	[6,667] Nm	static moment rating about Z axis

### Related products

[RWU55-F]	Carriage
[TSX55-E]	Guideway